



# Moments Guide

OUTDOOR LIVING | HAGE OG TERRASSE

**Verano**<sup>®</sup>



04



11



12

- 2. Innhold
- 3. Gratulerer!
- 5. Forskning og utvikling
- 6. Storrenjering
- 10. CE-merking
- 13. Samsvarserklæring IIA
- 15. Garantiregistrering

## GRATULERER!

Gratulerer med ditt nye Verano®-produkt(er)! Nå er det på tide å nyte det. Vi vil at alt skal handle om deg, og derfor sørger vi med produktene våre for at du kan gjøre huset ditt til et trygt og komfortabelt hjem. I denne 'Moments guide' gir vi deg noen tips om hvordan du kan fortsette å glede deg over produktet/produktene dine i årene som kommer. Til slutt setter vi stor pris på om du deler øyeblikkene dine med oss på våre sosiale medier!


Vennlig hilsen,

**Harrie van Zutphen**

Administrerende direktør

SHARE  
YOUR  
MOMENTS!

#veranomoment



## FORSKNING UTVIKLING

Profilene i Verano®-produktet ditt er laget av aluminium av høy kvalitet. En stor fordel med aluminium er at det er sterkt og solid, men samtidig svært lett. Aluminium er dessuten så godt som vedlikeholdsfritt og gir lang levetid. Disse egenskapene gjør aluminium til det ideelle materialet som grunnlag for produktet ditt.

Vi er stolte innehavere av AluEco-sertifikatet. Stiftelsen AluEco fremmer bærekraft og påser at aluminium resirkuleres til høyverdige produkter med minimal miljøbelastning.

# STORRENGJØRING!

Selvfølgelig vil du nyte Verano®-produktet/-produktene dine så lenge som mulig. Rengjøring av produktet bidrar til lang levetid. Derfor finner du her en trinnvis veiledning som hjelper deg med rengjøringen.

## DETTE TRENGER DU:

	Terrasse- tak	Glassvegg	Vindskjerm
 MYK KLUT	•	•	•
 PUSSESKINN	•	•	•
 VINDUSNAL	•	•	•
 LUNKENT VANN (MAKS 35°C)	•	•	•
 RENGJØRINGSMIDDEL pH-VERDI (<7,5)	•	•	•
 BØRSTE	•		
 STØVSUGER	•	•	•

## SJEKK OGSÅ:

Verano®-produkter krever lite vedlikehold og har lang levetid. Skulle det likevel oppstå en feil på produktet, ta umiddelbart kontakt med din Verano®-partner. Kontroller tilstanden på følgende punkter før du rengjør produktet:

- Aluminiumsprofiler
- Avvikende lyd ved åpning/lukking

# RENGJØRING TERRASSETAK

## TRINN 1

### Rengjør takrenne

For å sikre fritt avløp av vann må takrennen tømmes for grov smuss og fremmedlegemer. Om vinteren gjelder dette også snø og is.



## TRINN 3

### Rengjør takplater

Rengjør takplatene med lunkent såpevann og tørk av med en myk klut, pusseskinn eller nal.



## TRINN 2

### Fjerne smuss

Fjern løs smuss med en børste eller støvsuger og skyll takplatene med vann.



## TRINN 4

### Rengjør profiler

Rengjør aluminiumsprofilene med lunkent vann og et rengjøringsmiddel med pH-verdi under 7,5. Unngå skuresvamber og høytrykksspylere.



## RENGJØRING GLASSVEGGER

### TRINN 1

#### Rengjøre bunnskinne

Bruk en støvsuger for å fjerne smuss fra bunnskinnen. Da glir skyvepanelene lydløst langs skinnen.



### TRINN 2

#### Rengjøre profiler

Rengjør aluminiumsprofilene med lunkent vann og et rengjøringsmiddel med pH-verdi under 7,5. Unngå skuresvamper og høytrykksspylere.



### TRINN 3

#### Fjerne smuss

Fjern løs smuss og skylt glasspanelene med vann.



### TRINN 4

#### Rengjøre glassplater

Rengjør glassplatene med lunkent såpevann og tørk av med en myk klut, pusseskinn eller nal.



## RENGJØRING VINDSKJERMER

### TRINN 1

#### Rengjøre profiler

Rengjør aluminiumsprofilene med lunkent vann og et rengjøringsmiddel med pH-verdi under 7,5. Unngå skuresvamper og høytrykksspylere.



### TRINN 3

#### Rengjøre glassplater

Rengjør glassplatene med lunkent såpevann og tørk av med en myk klut, pusseskinn eller nal.



### TRINN 2

#### Fjerne smuss

Fjern løs smuss og skylt glassplatene med vann.



### TRINN 4

#### Rengjøre motor og tannremskive

For en mer detaljert trinnvis veiledning for rengjøring av vindskjermen din viser vi til monteringsveiledningen som du finner på [www.verano.nl/en/service/downloads/](http://www.verano.nl/en/service/downloads/)

## CE-MERKING

Fra 1. juli 2014 må alle deler av bærende konstruksjoner i aluminium og stål være CE-merket i henhold til NEN-EN 1090. Med denne CE-merkingen garanterer produsentene at produktene oppfyller de strenge sikkerhetskravene i lovgivningen.

Har du et Verano®-terrassetak? Da er det selvfølgelig CE-merket. Sikkerhet i og rundt hjemmet er et viktig satsingsområde for Verano®. Mer informasjon om NEN-EN 1090-standarden finner du på nettsiden vår [www.verano.nl/en/usps/safety-first/](http://www.verano.nl/en/usps/safety-first/).





# SAMSVARS- ERKLÆRING IIA

**Produsent:** Verano® B.V.  
Bedrijfsweg 8  
5683 CP Best  
Nederland

Erklærer under fullt eget ansvar at produktet:

Uteliv

som denne erklæringen gjelder:

1. oppfyller bestemmelsene i Maskindirektivet (89/392/EØF),
2. oppfyller Lavspenningsdirektivet (73/23/EØF),
3. oppfyller EMC-direktivet (89/336/EØF),
4. oppfyller følgende harmoniserte standard NEN-EN 1090.

Best, januar 2006

**Frank Pulles**  
Direktør

Denne samsvarserklæringen gjelder forutsatt at produktet er installert slik det er angitt i monteringsveiledningen, og at bruken er i samsvar med brukerveiledningen.

## GARANTIREGISTRERING

Vil du benytte Verano®-fabrikkgarantien? Gå til [www.verano.nl/en/service/register-product/](http://www.verano.nl/en/service/register-product/) eller skann QR-koden nedenfor og registrer produktet/produktene dine for 5 års fabrikkgaranti. På baksiden av dette heftet finner du den unike produktkoden til Verano®-produktet ditt, som du trenger når du fyller ut garantiskjemaet.

Les også gjennom garantibetingelsene, slik at du vet når du har krav på garanti og ikke. Disse finner du også via lenken ovenfor eller QR-koden nedenfor.





04



11



12

- 2. Contents
- 3. Congratulations!
- 5. Research and Development
- 6. Spring clean
- 10. CE Marking
- 13. Declaration of conformity IIA
- 15. Warranty registration

## CONGRATULATIONS!


Congratulations on your new Verano® product(s)! Now it's time to enjoy it. We want it to be all about you and will therefore ensure you can use our products to turn your house into a safe and comfortable home. We would like to provide you with a number of tips in this 'Moments guide', which will allow you to continue enjoying your product(s) for many years to come. And finally, we would really love to hear from you on our social media pages!

Yours sincerely,

**Harrie van Zutphen**  
CEO

SHARE  
YOUR  
MOMENTS!

**#veranomoment**



## RESEARCH AND DEVELOPMENT

The profiles of your Verano® product(s) have been made from top quality aluminium. One of the main advantages of aluminium is that it's strong and solid, but also very light-weight. Aluminium boasts characteristics which make it almost maintenance-free and guarantees a long life. All these elements combined have made aluminium the perfect material to use as a basis for your Verano® product.

We are proud owners of the AluEco certificate. The AluEco foundation promotes sustainability and ensures aluminium is recycled into top quality products, with a minimal environmental impact.

# SPRING CLEAN!

It goes without saying you want to enjoy your Verano® product(s) for as long as possible. Cleaning the product will certainly contribute to a long lifespan. That's why we will provide you with a step-by-step plan to help you with the cleaning.

## WHAT WILL YOU NEED?

	Veranda	Sliding wall	Windscreen
 SOFT CLOTH	•	•	•
 CHAMOIS	•	•	•
 SQUEEGEE	•	•	•
 LUKEWARM WATER (MAX 35°C)	•	•	•
 CLEANING PRODUCTS WITH A LOW PH VALUE (<7.5)	•	•	•
 BRUSH	•		
 VACUUM CLEANER	•	•	•

## ALSO CHECK:

Verano® products require little maintenance and have an incredibly long lifespan. However, in the unlikely event of a product malfunction, contact your Verano® partner immediately. Make sure you check the following before you start cleaning your products:

- Aluminium profiles
- Deviating sound when opening/closing

# CLEANING VERANDAS

## STEP 1

### Cleaning the gutters

All coarse dirt and foreign objects must be cleared from the gutters in order to warranty free water drainage. This also applies to snow and ice during the winter period.



## STEP 2

### Remove dirt

Remove any loose dirt with a brush or vacuum cleaner and rinse the roof plates with water.



## STEP 3

### Cleaning the roof plates

Clean the roof plates with lukewarm soapy water and wipe with a soft cloth, chamois or squeegee.



## STEP 4

### Cleaning the profiles

Clean the aluminium profiles with lukewarm water and a cleaning product with a pH value lower than 7.5. Avoid scouring pads and high pressure equipment.



## CLEANING GLASS WALLS

### STEP 1

#### Cleaning the bottom rail

Use a vacuum cleaner to remove any dirt from the bottom rail. This will ensure the sliding panels silently run along the rail.



### STEP 2

#### Cleaning the profiles

Clean the aluminium profiles with lukewarm water and a cleaning product with a pH value lower than 7.5. Avoid scouring pads and high pressure equipment.



### STEP 3

#### Remove dirt

Remove any loose dirt and rinse the glass panels with water.



### STEP 4

#### Cleaning the glass plates

Clean the glass plates with lukewarm soapy water and wipe with a soft cloth, chamois or squeegee.



## CLEANING WINDSCREENS

### STEP 1

#### Cleaning the profiles

Clean the aluminium profiles with lukewarm water and a cleaning product with a pH value lower than 7.5. Avoid scouring pads and high pressure equipment.



### STEP 3

#### Cleaning the glass plates

Clean the glass plates with lukewarm water and soapy water and wipe them off with a soft cloth, chamois leather or extractor.



### STEP 2

#### Remove dirt

Remove loose dirt and rinse the glass plates with water.



### STEP 4

#### Cleaning the motor and timing-belt pulley

For a more detailed step-by-step plan for cleaning your windscreen(s), we refer you to the installation manual which can be found on our website [www.verano.nl/en/service/downloads/](http://www.verano.nl/en/service/downloads/).

## CE MARKING

From July 1, 2014, all components of load-bearing structures made of aluminum or steel must be CE marked in accordance with NEN-EN 1090. With this CE mark, manufacturers warranty that their products meet the strict safety requirements of the legislation.

Do you have a Verano® veranda? Then this is of course provided with CE marking. Security in and around the home is an important spearhead of Verano®. You can find more information about the NEN-EN 1090 standard on our website [www.verano.nl/en/usps/safety-first/](http://www.verano.nl/en/usps/safety-first/).





# DECLARATION OF CONFORMITY IIA

**The manufacturer:** Verano® B.V.  
Bedrijfsweg 8  
5683 CP Best  
The Netherlands

Declares under its full responsibility that the product:

Outdoor living

Which concerns this declaration:

1. complies with the definitions of the Guideline for Machines (89/392/EEG),
2. complies with the Guideline for Low Voltage (73/23/EEG),
3. complies with the EMC- guideline (89/336/EEG),
4. complies with the following harmonised norm NEN-EN 1090.

Best, January 2006.

**Frank Pulles**  
Director

The declaration of conformity is applicable, provided that the product has been installed as indicated in this assembly manual and the use conforms to the assembly manual.



## WARRANTY REGISTRATION

Do you want to use the Verano® factory warranty?

Visit [www.verano.nl/en/service/register-product/](http://www.verano.nl/en/service/register-product/) or scan the QR code below to register your product(s) for a 5 year manufacturer's warranty! You will find your Verano® product's unique product code on the back of this booklet, which you will need when filling in the warranty form.

Please also read through the warranty conditions, making sure you know when you are and aren't entitled to the warranty. You can also find this via the above link or QR code.






**NO** Dette er den unike produktkoden til Verano®-produktet ditt. Du kan bruke denne koden til å registrere produktet for garanti.

For en fullstendig oversikt over våre måle- og monteringsanvisninger, se [www.verano.nl/en/service/downloads](http://www.verano.nl/en/service/downloads)

**EN** This is your Verano® product's unique product code. You can use this code to register the product for the warranty.

For a complete overview of our measure and installation instructions, please go to [www.verano.nl/en/service/downloads](http://www.verano.nl/en/service/downloads).



20267805-230525



---

The logo for Verano® features the brand name in a bold, sans-serif font. A thick, curved line arches over the letters 'e' and 'r', starting from the left and ending at the registered trademark symbol (®) on the right.